


ASME B31.1-2022
(Revision of ASME B31.1-2020)

Power Piping

ASME Code for Pressure Piping, B31

AN INTERNATIONAL PIPING CODE®



ASME B31.1-2022
(Revision of ASME B31.1-2020)

Power Piping

ASME Code for Pressure Piping, B31

AN INTERNATIONAL PIPING CODE®



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: October 10, 2022

The next edition of this Code is scheduled for publication in 2024. This Code will become effective 6 months after the Date of Issuance.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Code. Interpretations are published on the Committee web page and under <http://go.asme.org/InterpsDatabase>. Periodically certain actions of the ASME B31 Committee may be published as Cases. Cases are published on the ASME website under the B31 Committee Page at <http://go.asme.org/B31committee> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages of the associated codes and standards to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The B31 Committee Page can be found at <http://go.asme.org/B31committee>. The associated B31 Committee Pages for each code and standard can be accessed from this main page. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2022 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword	ix
Committee Roster	x
Introduction	xiii
Summary of Changes	xvi
Chapter I	
Scope and Definitions	1
100 General	1
Chapter II	
Design	18
Part 1	
Conditions and Criteria	18
101 Design Conditions	18
102 Design Criteria	20
Part 2	
Pressure Design of Piping Components	25
103 Criteria for Pressure Design of Piping Components	25
104 Pressure Design of Components	27
Part 3	
Selection and Limitations of Piping Components	40
105 Pipe	40
106 Fittings, Bends, and Intersections	41
107 Valves	42
108 Pipe Flanges, Blanks, Flange Facings, Gaskets, and Bolting	43
Part 4	
Selection and Limitations of Piping Joints	44
110 Piping Joints	44
111 Welded Joints	44
112 Flanged Joints	44
113 Expanded or Rolled Joints	45
114 Threaded Joints	45
115 Flared, Flareless, and Compression Joints, and Unions	45
116 Bell End Joints	49
117 Brazed and Soldered Joints	49
118 Sleeve Coupled and Other Proprietary Joints	49
Part 5	
Expansion, Flexibility, and Pipe-Supporting Elements	50
119 Expansion and Flexibility	50
120 Loads on Pipe-Supporting Elements	52
121 Design of Pipe-Supporting Elements	53
Part 6	
Systems	56
122 Design Requirements Pertaining to Specific Piping Systems	56
Chapter III	
Materials	72
123 General Requirements	72
124 Limitations on Materials	73
125 Creep Strength Enhanced Ferritic Materials	75

Chapter IV	Reference Specifications, Codes, and Standards	77
126	Specifications and Standards for Standard and Nonstandard Piping Components	77
Chapter V	Fabrication, Assembly, and Erection	87
127	Welding	87
128	Brazing and Soldering	95
129	Bending and Forming	96
130	Requirements for Fabricating and Attaching Pipe Supports	103
131	Welding Preheat	103
132	Postweld Heat Treatment	105
133	Stamping	110
135	Assembly	110
Chapter VI	Inspection, Examination, and Testing	112
136	Inspection and Examination	112
137	Pressure Tests	117
Chapter VII	Operation and Maintenance	121
138	General	121
139	Operation and Maintenance Procedures	121
140	Condition Assessment of CPS	121
141	CPS Records	122
142	Piping and Pipe-Support Maintenance Program and Personnel Requirements	123
143	Repair of CPS	123
144	CPS Walkdowns	123
145	Material Degradation Mechanisms	123
146	Dynamic Loading	123
149	Rerating Piping Systems	124
 Mandatory Appendices		
A	Allowable Stress Tables	125
B	Thermal Expansion Data	239
C	Moduli of Elasticity	249
D	Flexibility and Stress Intensification Factors	257
F	Referenced Standards	265
G	Nomenclature	269
H	Preparation of Technical Inquiries	275
N	Rules for Nonmetallic Piping and Piping Lined With Nonmetals	276
O	Use of Alternative Ultrasonic Acceptance Criteria	307
P	Metallic Bellows Expansion Joints	310
 Nonmandatory Appendices		
II	Rules for the Design of Safety Valve Installations	314
IV	Corrosion Control for ASME B31.1 Power Piping Systems	335
V	Recommended Practice for Operation, Maintenance, and Modification of Power Piping Systems	339
VII	Procedures for the Design of Restrained Underground Piping	353
VIII	Guidelines for Determining If Low-Temperature Service Requirements Apply	364

Figures

100.1.2-1	Code Jurisdictional Limits for Piping — An Example of Forced-Flow Steam Generators With No Fixed Steam and Waterline	2
100.1.2-2	Code Jurisdictional Limits for Piping — An Example of Steam Separator Type Forced-Flow Steam Generators With No Fixed Steam and Waterline	3
100.1.2-3	Code Jurisdictional Limits for Piping — Drum-Type Boilers	4
100.1.2-4	Code Jurisdictional Limits for Piping — Isolable Economizers Located in Feedwater Piping and Isolable Superheaters in Main Steam Piping (Boiler Pressure Relief Valves, Blowoff, and Miscellaneous Piping for Boiler Proper Not Shown for Clarity)	5
100.1.2-5	Code Jurisdictional Limits for Piping — Reheaters and Nonintegral Separately Fired Superheaters	6
100.1.2-6	Code Jurisdictional Limits for Piping — Spray-Type Desuperheater	7
100.1.2-7	Code Jurisdictional Limits for Piping — HRSG — Desuperheater Protection Devices	8
100.1.2-8	Code Jurisdictional Limits for Piping — Firetube Boiler	9
100.1.2-9	Code Jurisdictional Limits for Piping — Steam Locomotive Boiler With Dome Throttle	10
100.1.2-10	Code Jurisdictional Limits for Piping — Steam Locomotive Boiler With Front-End Throttle	11
102.4.5-1	Nomenclature for Pipe Bends	24
104.3.1-1	Reinforcement of Branch Connections	32
104.3.1-2	Reinforced Extruded Outlets	35
104.5.3-1	Types of Permanent Blanks	38
104.8-1	Equations (15), (16), and (17)	40
122.1.7-1	Typical Globe Valves	61
122.4-1	Desuperheater Schematic Arrangement	65
127.3-1	Butt Welding of Piping Components With Internal Misalignment	88
127.4.2-1	Welding End Transition — Maximum Envelope	90
127.4.4-1	Fillet Weld Size	92
127.4.4-2	Welding Details for Slip-On and Socket-Welding Flanges; Some Acceptable Types of Flange Attachment Welds	93
127.4.4-3	Minimum Welding Dimensions Required for Socket Welding Components Other Than Flanges	93
127.4.8-1	Typical Welded Branch Connection Without Additional Reinforcement	93
127.4.8-2	Typical Welded Branch Connection With Additional Reinforcement	94
127.4.8-3	Typical Welded Angular Branch Connection Without Additional Reinforcement	95
127.4.8-4	Some Acceptable Types of Welded Branch Attachment Details Showing Minimum Acceptable Welds	96
127.4.8-5	Some Acceptable Details for Integrally Reinforced Outlet Fittings	97
127.4.8-6	Typical Full Penetration Weld Branch Connections for NPS 3 (DN 80) and Smaller Half Couplings or Adapters	98
127.4.8-7	Typical Partial Penetration Weld Branch and Instrument Connections for NPS 2 (DN 50) and Smaller Fittings	99
135.5.3-1	Typical Threaded Joints Using Straight Threads	111
D-1	Branch Connection Dimensions	262
D-2	Flexibility Factor, k , and Stress Intensification Factor, i	263
D-3	Correction Factor, c	264
N-100.2.1-1	Winding Angle of Filament-Wound Thermosetting Resin Pipe	279
N-102.3.1-1	Typical Allowable Stress Curve for Filament-Wound Reinforced Thermosetting Resin Pipe	286

N-127.7.1-1	Solvent-Cemented Joint	301
N-127.7.2-1	Heat Fusion Joints	302
N-127.7.3-1	Thermoplastic Electrofusion Joints	302
N-127.8.1-1	Thermosetting Resin Joints	303
O-8-1	Surface and Subsurface Indications	308
II-1.2-1	Safety Valve Installation (Closed Discharge System)	315
II-1.2-2	Safety Valve Installation (Open Discharge System)	316
II-2.2.1-1	Discharge Elbow (Open Discharge Installation)	318
II-2.2.1-2	Compressible Flow Analysis	319
II-2.2.1-3	Vent Pipe (Open Discharge Installation)	320
II-3.5.1.3-1	Safety Valve Installation (Open Discharge System)	324
II-3.5.1.3-2	Dynamic Load Factors for Open Discharge System	325
II-6-1	Examples of Safety Valve Installations	328
II-7-1	Sample Problem Figure 1	330
II-7-2	Sample Problem Figure 2	331
II-7.1.9-1	Sample Problem Figure 3	334
V-13.1.2-1	Effect of Various Steady Operating Temperatures on Time to Failure Due to Creep	350
VII-3.3.2-1	Element Category A, Elbow or Bend	357
VII-3.3.2-2	Element Category B, Branch Pipe Joining the P Leg	357
VII-3.3.2-3	Element Category C, Tee on End of P Leg	357
VII-3.3.2-4	Element Category D, Straight Pipe	357
VII-5-1	Plan of Example Buried Pipe	359
VII-6.4.4-1	Computer Model of Example Pipe	363
VII-6.6-1	Example Plan of Element 1 as a Category D Element	363

Tables

102.4.3-1	Longitudinal Weld Joint Efficiency Factors	23
102.4.5-1	Bend Thinning Allowance	23
102.4.6-1	Maximum Severity Level for Casting Thickness 4½ in. (114 mm) or Less	24
102.4.6-2	Maximum Severity Level for Casting Thickness Greater Than 4½ in. (114 mm)	25
102.4.7-1	Weld Strength Reduction Factors (WSRFs) to Be Applied When Calculating the Minimum Wall Thickness or Allowable Design Pressure of Components Fabricated With a Longitudinal Seam Fusion Weld	26
104.1.2-1	Values of y	28
112-1	Piping Flange Bolting, Facing, and Gasket Requirements (Refer to Paras. 108, 110, and 112)	46
114.2.1-1	Threaded Joints Limitations	49
121.5-1	Suggested Steel Pipe-Support Spacing	54
121.7.2-1	Carrying Capacity of Threaded ASTM A36, ASTM A575, and ASTM A576 Hot-Rolled Carbon Steel	55
122.2-1	Design Pressure for Blowoff/Blowdown Piping Downstream of BEP Valves	62
122.8.2-1	Minimum Wall Thickness Requirements for Toxic Fluid Piping	69
126.1-1	Specifications and Standards	78
127.4.2-1	Reinforcement of Girth and Longitudinal Butt Welds	91
129.3.1-1	Approximate Lower Critical Temperatures	100
129.3.3.1-1	Post-Cold-Forming Strain Limits and Heat Treatment Requirements for Creep Strength Enhanced Ferritic Steels	101

129.3.4.1-1	Post-Cold-Forming Strain Limits and Heat Treatment Requirements for Austenitic Materials and Nickel Alloys	102
131.4.1-1	Preheat Temperatures	104
132.1.1-1	Postweld Heat Treatment	106
132.1.1-2	Alternate Postweld Heat Treatment Requirements for Carbon and Low Alloy Steels, P-Nos. 1 and 3	107
132.1.3-1	Postweld Heat Treatment of 15NiCuMoNb 5-6-4/P36/F36	107
132.2-1	Exemptions to Mandatory Postweld Heat Treatment	108
136.4.1-1	Mandatory Minimum Nondestructive Examinations for Pressure Welds or Welds to Pressure-Retaining Components	114
136.4.1-2	Weld Imperfections Indicated by Various Types of Examination	115
A-1	Carbon Steel	126
A-2	Low and Intermediate Alloy Steel	140
A-3	Stainless Steels	152
A-4	Nickel and High Nickel Alloys	188
A-5	Cast Iron	202
A-6	Copper and Copper Alloys	206
A-7	Aluminum and Aluminum Alloys	212
A-8	Temperatures 1,200°F and Above	220
A-9	Titanium and Titanium Alloys	228
A-10	Bolts, Nuts, and Studs	232
B-1	Thermal Expansion Data	240
B-1 (SI)	Thermal Expansion Data	244
C-1	Moduli of Elasticity for Ferrous Material	250
C-1 (SI)	Moduli of Elasticity for Ferrous Material	251
C-2	Moduli of Elasticity for Nonferrous Material	252
C-2 (SI)	Moduli of Elasticity for Nonferrous Material	254
D-1	Flexibility and Stress Intensification Factors	258
N-102.2.1-1	Hydrostatic Design Stresses (HDS) and Recommended Temperature Limits for Thermoplastic Piping Components	281
N-102.2.1-2	Design Stresses (DS) and Recommended Temperature Limits for Laminated Reinforced Thermosetting Resin Piping Components	283
N-102.2.1-3	Hydrostatic Design Basis (HDB) for Machine-Made Reinforced Thermosetting Resin Pipe	284
N-119.6.1-1	Thermal Expansion Coefficients, Nonmetals	292
N-119.6.2-1	Modulus of Elasticity, Nonmetals	293
N-126.1-1	Nonmetallic Material and Product Standards	298
N-136.4.1-1	Acceptance Criteria for Bonds	306
O-9-1	Discontinuity Acceptance Criteria for Weld Thickness Under 1.0 in. (25 mm)	309
O-9-2	Surface Discontinuity Acceptance Criteria for Weld Thickness 1.0 in. (25 mm) and Over	309
O-9-3	Subsurface Discontinuity Acceptance Criteria for Weld Thickness 1.0 in. (25 mm) and Over	309
II-2.2.1-1	Values of <i>a</i> and <i>b</i>	318
IV-5.2-1	Flow-Accelerated Corrosion Rates	337
VII-3.2.3-1	Approximate Safe Working Values of C_D for Use in Modified Marston Formula	356
VII-6.3-1	Equations for Calculating Effective Length L' or L''	361
VIII-1	Low-Temperature Service Requirements by Material Group	365
VIII-2	Material Groupings by Material Specification	367

Forms

V-7.5-1	Piping System Support Design Details	344
V-7.5-2	Hot Walkdown of Piping System Supports	345
V-7.5-3	Cold Walkdown of Piping System Supports	346