

ASME Y14.5-2009
[Revision of ASME Y14.5M-1994 (R2004)]

Dimensioning and Tolerancing

**Engineering Drawing and Related
Documentation Practices**

AN INTERNATIONAL STANDARD



The American Society of
Mechanical Engineers



CONTENTS

Foreword	vi
Committee Roster	viii
Correspondence With the Y14 Committee	ix
Section 1 Scope, Definitions, and General Dimensioning	1
1.1 Scope	1
1.2 References	1
1.3 Definitions	2
1.4 Fundamental Rules	7
1.5 Units of Measure	8
1.6 Types of Dimensioning	9
1.7 Application of Dimensions	10
1.8 Dimensioning Features	13
1.9 Location of Features	20
Section 2 General Tolerancing and Related Principles	24
2.1 General	24
2.2 Direct Tolerancing Methods	24
2.3 Tolerance Expression	25
2.4 Interpretation of Limits	26
2.5 Single Limits	26
2.6 Tolerance Accumulation	26
2.7 Limits of Size	27
2.8 Applicability of Modifiers on Geometric Tolerance Values and Datum Feature References	29
2.9 Screw Threads	31
2.10 Gears and Splines	31
2.11 Boundary Conditions	31
2.12 Angular Surfaces	31
2.13 Conical Tapers	35
2.14 Flat Tapers	35
2.15 Radius	36
2.16 Tangent Plane	36
2.17 Statistical Tolerancing	36
Section 3 Symbology	38
3.1 General	38
3.2 Use of Notes to Supplement Symbols	38
3.3 Symbol Construction	38
3.4 Feature Control Frame Symbols	44
3.5 Feature Control Frame Placement	46
3.6 Definition of the Tolerance Zone	46
3.7 Tabulated Tolerances	46
Section 4 Datum Reference Frames	48
4.1 General	48
4.2 Degrees of Freedom	48
4.3 Degrees of Freedom Constrained by Primary Datum Features Regardless of Material Boundary	48
4.4 Constraining Degrees of Freedom of a Part	48
4.5 Datum Feature Simulator	53
4.6 Theoretical and Physical Application of Datum Feature Simulators	53
4.7 Datum Reference Frame	53

4.8	Datum Features	57
4.9	Datum Feature Controls	58
4.10	Specifying Datum Features in an Order of Precedence	58
4.11	Establishing Datums	59
4.12	Multiple Datum Features	65
4.13	Mathematically Defined Surface	69
4.14	Multiple Datum Reference Frames	69
4.15	Functional Datum Features	69
4.16	Rotational Constraint About a Datum Axis or Point	70
4.17	Application of MMB, LMB, and RMB to Irregular Features of Size	74
4.18	Datum Feature Selection Practical Application	75
4.19	Simultaneous Requirements	76
4.20	Restrained Condition	79
4.21	Datum Reference Frame Identification	79
4.22	Customized Datum Reference Frame Construction	81
4.23	Application of a Customized Datum Reference Frame	81
4.24	Datum Targets	83
Section 5	Tolerances of Form	91
5.1	General	91
5.2	Form Control	91
5.3	Specifying Form Tolerances	91
5.4	Form Tolerances	91
5.5	Application of Free-State Symbol	95
Section 6	Tolerances of Orientation	99
6.1	General	99
6.2	Orientation Control	99
6.3	Orientation Symbols	99
6.4	Specifying Orientation Tolerances	99
6.5	Tangent Plane	103
6.6	Alternative Practice	103
Section 7	Tolerances of Location	108
7.1	General	108
7.2	Positional Tolerancing	108
7.3	Positional Tolerancing Fundamentals: I	108
7.4	Positional Tolerancing Fundamentals: II	119
7.5	Pattern Location	127
7.6	Coaxial Feature Controls	148
7.7	Tolerancing for Symmetrical Relationships	156
Section 8	Tolerances of Profile	158
8.1	General	158
8.2	Profile	158
8.3	Tolerance Zone Boundaries	158
8.4	Profile Applications	165
8.5	Material Condition and Boundary Condition Modifiers as Related to Profile Controls	167
8.6	Composite Profile	167
8.7	Multiple Single-Segment Profile Tolerancing	175
8.8	Combined Controls	175
Section 9	Tolerances of Runout	180
9.1	General	180
9.2	Runout	180
9.3	Runout Tolerance	180
9.4	Types of Runout Tolerances	180
9.5	Application	182
9.6	Specification	182

Nonmandatory Appendices		
A	Principal Changes and Improvements	185
B	Formulas for Positional Tolerancing	191
C	Form, Proportion, and Comparison of Symbols	194
D	Former Practices	199
E	Decision Diagrams for Geometric Control	200
Index		207