

ASME STS-1–2021
(Revision of ASME STS-1–2016)

Steel Stacks

AN AMERICAN NATIONAL STANDARD



ASME STS-1-2021
(Revision of ASME STS-1-2016)

Steel Stacks

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: June 30, 2022

The next edition of this Standard is scheduled for publication in 2026.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the Committee web page and under <http://go.asme.org/InterpsDatabase>. Periodically certain actions of the ASME STS Committee may be published as Cases. Cases are published on the ASME website under the STS Committee Page at <http://go.asme.org/STScommittee> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The STS Committee Page can be found at <http://go.asme.org/STScommittee>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2022 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword		vi
Committee Roster		vii
Correspondence With the STS Committee		viii
Introduction		x
Summary of Changes		
1	Mechanical Design	1
2	Materials	4
3	Linings and Coatings	7
4	Structural Design	13
5	Dynamic Wind Loads	22
6	Access and Safety	24
7	Electrical	32
8	Fabrication and Erection	33
9	Inspection and Maintenance	35
10	References	37
 Mandatory Appendix		
I	Structural Design — Gust Effect Factor Calculation	40
 Nonmandatory Appendices		
A	Mechanical Design	45
B	Materials for Ambient and Elevated Temperature Service	59
C	Linings and Coatings	76
D	Structural Design	81
E	Example Calculations	87
F	Conversion Factors: U.S. Customary to SI (Metric)	97
 Figures		
6.2.6-1	Example of the General Construction of Cages	26
6.2.6-2	Minimum Ladder Clearances	27
6.3.6-1	Ladder Dimensions, Support Spacing, and Side Clearances	28
6.3.7-1	Length of Climb	29
6.3.9-1	Landing Platform Dimensions	31
I-1	Topographic Factor, K_{zt}	41
A-1	Friction Factor, f , as Related to Reynolds Number and Stack Diameter	45
A-2	External Heat Transfer Coefficient for Forced and Natural Convection	46
A-3	Effect of a Change in the Ambient Air-Free Stream Temperature on the External Heat Transfer Coefficient for Forced Convection	47

A-4	Heat Transfer Coefficient for the Air Gap Between Two Walls of a Double-Walled Metal Chimney (Mean Temperature 200°F Through 400°F)	48
A-5	Heat Transfer Coefficient for the Air Gap Between Two Walls of a Double-Walled Metal Chimney (Mean Temperature 500°F and 600°F)	49
A-6	Internal Heat Transfer Coefficient vs. Velocity at Film Temperature: 200°F	50
A-7	Internal Heat Transfer Coefficient vs. Velocity at Film Temperature: 300°F	51
A-8	Internal Heat Transfer Coefficient vs. Velocity at Film Temperature: 500°F	52
A-9	Internal Heat Transfer Coefficient vs. Velocity at Film Temperature: 1,000°F	53
A-10	Flue Size	54
A-11	Natural Draft	55
A-12	Friction Loss	56
A-13	Exit Loss and Entrance	57
C-1	Dewpoint Versus Sulfur Trioxide Concentration	77
C-2	Sulfuric Acid Saturation Curve	78
D-1	Normalized Response Spectrum Values	81
D-2	Seismic Zone Map	82

Tables

4.4.6-1	Minimum Fabricated Plate Thickness and Maximum Stiffener Spacing	17
4.11.1.3-1	Cable Selection Criteria	19
5.2.1.2-1	Representative Structural Damping Values, β_s	23
I-1	Terrain Exposure Constants	40
I-2	Risk Category of Buildings and Other Structures for Flood, Wind, Snow, and Earthquake Loads	42
I-3	Velocity Pressure Exposure Coefficients, K_z	43
I-4	Force Coefficients, C_f	44
A-1	K Factors for Breaching Entrance Angle	58
B-1	ASTM A36 Carbon Steel	59
B-2	ASTM A387 Grade 11 Alloy Steel	60
B-3	ASTM A387 Grade 12 Alloy Steel	62
B-4	ASTM A242 Type 1, A606 Type 4 (Corten A)	63
B-5	ASTM A588 Grade A, A709 (Corten B)	64
B-6	ASTM A240 Stainless Steel Type 410	65
B-7	ASTM A240 Stainless Steel Type 304	66
B-8	ASTM A240 Stainless Steel Type 316	67
B-9	ASTM A240 Stainless Steel Type 304L	68
B-10	ASTM A240 Stainless Steel Type 316L	69
B-11	ASTM A240 Stainless Steel Type 317	70
B-12	ASTM A516 Grade 70	71
B-13	ASTM A240 Stainless Steel Type 309	72
B-14	ASTM A240 Stainless Steel Type 310	73
B-15	Other Stainless Steels, Nickel Alloys, and Titanium Used for Stacks and Chimney Liners	74
B-16	Thermal Coefficients of Expansion	74
B-17	Maximum Nonscaling Temperature	75
C-1	Suggested Suitability of Linings for Steel Stacks to Withstand Chemical and Temperature Environments of Flue Gases	79

C-2	Suggested Stack Coating Characteristics and Classifications	80
D-1	Special Values for Maximum Ground Acceleration of $1.0g$	84
D-2	Response Spectrum Scaling Ratio Versus A_v	84
D-3	Allowable Creep Stress of Carbon Steel at Elevated Temperature	85
D-4	Creep and Rupture Properties of Type 410 Stainless Steel	86
D-5	Creep and Rupture Properties of Type 304 Stainless Steel	86
D-6	Creep and Rupture Properties of Type 316 Stainless Steel	86
D-7	Creep and Rupture Properties of Type 317 Stainless Steel	86
E-1.1-1	Example 1: Velocity Pressure, q_z , Calculations	88
E-1.2-1	Example 2: Gust Effect Factor, G_f , Calculations	89
E-1.3-1	Stack 1 Along Wind Loading	90
E-1.5-1	Example 5: Earthquake Response Spectrum Example Calculations	92
E-4-1	Mode Shape by Element	94
E-4-2	Equivalent Fatigue and Static Loads by Element	94
F-1	Length	97
F-2	Area	97
F-3	Volume (Capacity)	97
F-4	Kinematic Viscosity (Thermal Diffusivity)	97
F-5	Force	97
F-6	Force/Length	97
F-7	Pressure or Stress (Force per Area)	97
F-8	Bending Moment (Torque)	98
F-9	Mass	98
F-10	Mass per Area	98
F-11	Mass per Volume	98
F-12	Temperatures	98
F-13	Heat	98
F-14	Velocity	98
F-15	Acceleration	98