

ASME BPE-2024
(Revision of ASME BPE-2022)

Bioprocessing Equipment

AN INTERNATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME BPE-2024
(Revision of ASME BPE-2022)

Bioprocessing Equipment

AN INTERNATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: April 29, 2024

The next edition of this International Standard is scheduled for publication in 2026. This International Standard will become effective 6 months after the Date of Issuance.

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark



ASME Single Certification Mark

All rights reserved. “ASME” and the above ASME symbols are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2024 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
Printed in U.S.A.

CONTENTS

Foreword	xiv	
Statement of Policy on the Use of the ASME Single Certification Mark and Code Authorization in Advertising	xvi	
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items	xvi	
Committee Roster	xvii	
Correspondence With the BPE Committee	xxii	
Summary of Changes	xxiv	
Chapter 1	Introduction, Scope, and General Requirements	1
Part GR	General Requirements	1
GR-1	Introduction	1
GR-2	Scope of the ASME BPE Standard	1
GR-3	Manufacturer's Quality Assurance Program	2
GR-4	Examination, Inspection, and Testing	2
GR-5	Documentation	6
GR-6	Product Identification and Packaging	8
GR-7	Process Compatibility	9
GR-8	Contamination Control	9
GR-9	U.S. Customary and SI Units	9
GR-10	References	9
GR-11	Terms and Definitions	11
GR-12	Nomenclature	20
Chapter 2	Certification	21
Part CR	Certification Requirements	21
CR-1	Purpose and Scope	21
CR-2	General	21
Chapter 3	Materials	24
Part MM	Metallic Materials	24
MM-1	Purpose and Scope	24
MM-2	Alloy Designations	24
MM-3	Uses of Specifications	24
MM-4	Referenced Specifications	28
MM-5	Base Metals and Filler Materials	30
MM-6	Mechanical Properties and Leak Testing	39
MM-7	Positive Material Identification	40
MM-8	Corrosion-Resistance Requirements	40
MM-9	Minimum Requirements for Alloys in Part MM	40
Part PM	Polymeric and Other Nonmetallic Materials	42
PM-1	Purpose and Scope	42
PM-2	Materials	42

PM-3	Properties and Performance	46
PM-4	Applications	48
Chapter 4	Design for Multiuse	50
Part SD	Systems Design for Multiuse	50
SD-1	Purpose and Scope	50
SD-2	General Guidelines	50
SD-3	Process Components and Equipment	54
SD-4	Process Utility Systems	99
SD-5	Process Systems	105
SD-6	Process Support Systems	130
SD-7	Design Conformance Testing	153
Chapter 5	Process Components for Multiuse	155
Part DT	Dimensions and Tolerances for Process Components	155
DT-1	Purpose and Scope	155
DT-2	Pressure Rating	155
DT-3	Wall Thickness	155
DT-4	Dimensions	155
DT-5	Materials	156
DT-6	Tests	156
DT-7	Tolerances	156
DT-8	Weld Ends	156
DT-9	Hygienic Clamp Unions	156
DT-10	Minimum Examination Requirements	157
DT-11	Marking	157
DT-12	Packaging	158
Part PI	Process Instrumentation for Multiuse	196
PI-1	Purpose and Scope	196
PI-2	Process Instrumentation General Requirements	196
PI-3	Instrument Receiving, Handling, and Storage	199
PI-4	Flowmeters	199
PI-5	Level Instruments	204
PI-6	Pressure Instruments	206
PI-7	Temperature Sensors and Associated Components	206
PI-8	Analytical Instruments	213
PI-9	Optical	217
Part MC	Components for Multiuse	221
MC-1	Purpose and Scope	221
MC-2	Sealing Component Types	221
MC-3	Sealing Components General Design Requirements (General Provisions)	239
MC-4	Seal Performance Requirements	245
MC-5	Hose Assemblies	247
Chapter 6	Fabrication, Assembly, and Erection for Multiuse	249
Part MJ	Materials Joining for Multiuse	249
MJ-1	Purpose and Scope	249
MJ-2	Materials	249

MJ-3	Joint Design and Preparation	250
MJ-4	Joining Processes and Procedures	254
MJ-5	Procedure Qualifications	254
MJ-6	Performance Qualifications	254
MJ-7	Examination, Inspection, and Testing	255
MJ-8	Acceptance Criteria	257
MJ-9	Joining of Polymeric Materials	257
MJ-10	Documentation Requirements	272
MJ-11	Passivation	272
Part SF	Process Contact Surface Finishes for Multiuse	274
SF-1	Purpose and Scope	274
SF-2	Metallic Applications	274
SF-3	Polymeric Applications	277
Chapter 7	Design for Single-Use	279
Part SU	Systems Design for Single-Use	279
SU-1	General	279
SU-2	General Guidelines	279
SU-3	Integrity	279
SU-4	Biocompatibility	280
SU-5	Extractables and Leachables	280
SU-6	Identification	280
SU-7	Certificate of Conformance	280
SU-8	Inspection and Packaging	280
SU-9	Sterilization and Bioburden Reduction	281
SU-10	Shelf Life, Storage, and Expiration Date	281
SU-11	Particulates	282
SU-12	Design Conformance	282
Chapter 8	Process Components for Single-Use	283
Part SC	Components for Single-Use	283
SC-1	Steam-Through and Steam-To Connectors	283
SC-2	Aseptic Connectors	283
SC-3	Flexible Bioprocess Containers (Bags)	283
SC-4	Polymeric Hygienic Unions	284
SC-5	Valves	284
Chapter 9	Fabrication, Assembly, and Erection for Single-Use	289
Part SJ	Joining Methods for Single-Use	289
SJ-1	General	289
SJ-2	Mechanical Hose Barb Connections	289
SJ-3	Thermal Welding of Thermoplastic Elastomer Tubing	289
Part SI	Single-Use Process Instrumentation	291
SI-1	Purpose and Scope	291
SI-2	Single-Use Process Instrumentation General Requirements	291
 Mandatory Appendices		
II	Standard Units	292

III	Single-Use Components and Assemblies	293
IV	Nomenclature	294

Nonmandatory Appendices

A	Slag and Oxide Island Formation in Welds	296
B	Material and Weld Examination/Inspection Documentation	297
C	Slope Measurement and Joint Misalignment	301
D	Rouge and Stainless Steel	302
E	Passivation Procedure Qualification	310
F	Corrosion Testing	319
G	Ferrite	323
H	Electropolishing Procedure Qualification	324
J	Vendor Documentation Requirements for New Instruments	328
K	Standard Process Test Conditions (SPTC) for Seal Performance Evaluation	331
L	Standard Test Methods for Polymers	341
M	Spray Device Coverage Testing	344
N	Explanation of Weld Bead and Heat-Affected Zone Discoloration Acceptance Criteria on UNS S31603	346
O	Guidance When Choosing Polymeric and Nonmetallic Materials	347
P	General Background/Useful Information for Extractables and Leachables	350
Q	Temperature Sensors and Associated Components	353
R	Instrument Receiving, Handling, and Storage	355
S	Application Data Sheet	356
T	Guidance on Polymer Applications: Chromatography Columns and Filtration	358
U	Guidance for the Use of U.S. Customary and SI Units	361
W	Positive Material Identification	363
Y	Procurement Sources	366
Z	Quality Management System	367
AA	Seal Application Material Selection Guide	371
BB	Mechanical Seal Face Material Selection for Compensial Water Pumps	377
CC	Examination, Inspection, and Testing Cross-References	378
DD	Conductivity Sensor Selection Guide	381
EE	Vessel Flange, Agitator, and Mechanical Seal Design for Bottom-Mount Agitators	383
FF	Leak and Integrity Test Methods for Single-Use Systems	393
GG	Single-Use Mechanical Hose Barb Design Recommendations	399
HH	Physical and Functional Testing References Used to Characterize Single-Use Bags	401
JJ	Size Comparison of Common Thermoplastic Sizing Standards	404

Figures

CR-1-1	The ASME Single Certification Mark With the BPE Certification Designator	21
SD-3.1.1-1	Flat Gasket Applications	55
SD-3.1.2.2-1	Accepted Point-of-Use Designs	59
SD-3.1.2.3-1	Double Block-and-Bleed Valve Assembly	60
SD-3.2.1-1	Flexible Hygienic Hose Design	62
SD-3.3.2.2-1	Pump Impeller Configurations	63

SD-3.3.2.2-2	Acceptable Impeller Attachments	64
SD-3.3.2.2-3	Casing Drain Configurations	64
SD-3.3.2.2-4	Casing Drain <i>L/d</i> Ratios	65
SD-3.3.2.4-1	Rotary Lobe Pump Rotor Attachment	66
SD-3.4.2-1	Nozzle Design	67
SD-3.4.2-2	Side and Bottom Connections	68
SD-3.4.2-3	Sidewall Nozzles	69
SD-3.4.2-4	Vessel Design Tangential Nozzles	70
SD-3.4.2-5	Typical Nozzle Detail	70
SD-3.4.3-1	Accepted Nozzle Penetrations	72
SD-3.4.3-2	Internal Components	73
SD-3.4.6-1	Sight Glass Design (Accepted)	74
SD-3.5.1-1	Agitator Mounting Flanges	76
SD-3.5.2-1	Shaft Coupling Construction	77
SD-3.5.2-2	Shaft Coupling Seal Arrangements	78
SD-3.5.2-3	Fastener Seal Arrangements: Alternative Bolting Designs	80
SD-3.5.5-1	Shaft Steady Bearing	81
SD-3.5.5-2	Magnetically Coupled Mixer (Typical Bottom-Mount)	82
SD-3.6.2-1	Double Tubesheet Heat Exchanger Bonnet Design	83
SD-3.7.1-1	Transfer Panel Looped Headers	85
SD-3.7.2-1	Transfer Panel Tolerances	86
SD-3.7.4-1	Transfer Panel Jumpers	88
SD-3.9.1-1	Dynamic Spray Device: Single Axis	91
SD-3.9.1-2	Two-Axis Dynamic Spray Device	92
SD-3.9.2.1-1	Static Spray Device	93
SD-3.9.2.1-2	Flow Rate Guideline for Vertical Cylindrical Vessels	93
SD-3.9.2.1-3	Flow Rate Guideline for Horizontal Cylindrical Vessels	94
SD-3.9.2.3-1	Impact Pattern Buildup	95
SD-3.12-1	Steam Traps for Clean Steam Systems	96
SD-3.17.1-1	Example Strainer Types	98
SD-4.1.2.1-1	Point-of-Use Piping	101
SD-4.1.2.2-1	Physical Break in Point-of-Use Piping	102
SD-4.2.2-1	Typical Clean Steam System Isometric	103
SD-4.2.2-2	Clean Steam Point-of-Use Design	104
SD-5.1.4.1.3-1	Gas Sparging Assembly — Lance	106
SD-5.1.4.1.3-2	Gas Sparging Assembly — Sintered	107
SD-5.1.4.1.3-3	Gas Sparging Assembly — Ring	108
SD-5.1.4.1.3-4	Gas Sparging Assembly — Single Orifice	109
SD-5.1.4.2.1-1	Exhaust Gas Condenser	110
SD-5.1.4.2.1-2	Exhaust Gas Heater	110
SD-5.1.4.2.1-3	Electrically Heat Traced Filter Housing	111
SD-5.1.5-1	Fermentor Sterile Envelope	113
SD-5.1.5-2	Bioreactor Sterile Envelope	114
SD-5.2.1-1	Cell Disruptor Process Flow Schematic Diagram	116
SD-5.4.5.1-1	Tank/Vessel Vent Fillers	120

SD-5.6.4-1	Typical Lyophilizer Component Assembly	124
SD-5.6.5-1	Lyophilizer Sterile Boundary	127
SD-6.3.4.1.1-1	Conical Vessel With Reduced Bottom Outlet, or Tulip Tank	136
SD-6.3.4.2-1	CIP Looped Header (Supply or Return)	138
SD-6.3.4.2-2	Zero-Static Chain	138
SD-6.3.4.2-3	Swing Elbow Arrangement	138
SD-6.3.4.2-4	Mix-Proof Valve Array	139
SD-6.4.1.1-1	Example of HTST Process Flow Schematic Diagram	142
SD-6.4.1.1-2	Example of Direct Steam Injection UHT Process Flow Schematic Diagram	143
SD-6.4.4.5-1	Example of Additional Retention Tube Length Required to Account for Axial Mixing	145
SD-6.5.4.2-1	Immersion Tank Side Nozzle Design	148
DT-9.4-1	Clamp Conditions at Installation	194
PI-2.2.1-1	In-Line and At-Line Instrument Installation Examples	197
PI-2.2.2-1	Accepted Insertion Device Installation Examples	198
PI-4.1.3.2-1	Manifold or Flow Splitter for Dual-Tube Construction Flowmeters and Potential for Product Holdup	200
PI-4.1.3.3-1	Concentrically Reducing Process Connection	200
PI-4.1.4.3-1	Vertical Installation	202
PI-4.1.4.4-1	Minimum Angle of Inclination, α	202
PI-4.2.2-1	Typical Turbine Flowmeters	203
PI-5.1.2-1	Bulb, Horn, Isolated Horn, and Rod-Style Antenna	205
PI-5.1.3.1-1	Dead Band, Measuring Range, and Mounting Location	205
PI-6.1.2-1	Accepted Orientation and Flow	207
PI-7.3-1	Typical Installation Styles	208
PI-7.3.4-1	Accepted Elbow Orientations and Flow Directions	209
PI-7.3.4-2	Accepted Nonintrusive Orientations and Flow Directions	209
PI-7.3.5-1	Sensor Insertion Lengths for Tee Installations	211
PI-7.3.5-2	Sensor Insertion Lengths for Elbow Installations	212
PI-8.1.2-1	Conductivity Sensor Components	213
PI-8.1.3.2-1	Acceptable Orientations for Conductivity Sensors	215
PI-8.1.3.4-1	Installation Clearance Requirements	215
PI-8.2.2-1	pH Sensor Components	216
PI-8.2.3.3-1	Accepted Mounting Orientations	216
PI-8.4.3-1	Accepted Installation for a TOC Instrument	218
PI-9.1.3.2-1	Vessel Light Glass Design and Mounting	219
PI-9.1.3.4-1	In-Line Insertion Length	220
PI-9.1.3.4-2	Insertion Probe Length	220
MC-2.2.2-1	Hygienic Union, Ferrules per Table DT-7.1-1 or Table DT-7.1-2	222
MC-2.2.2-2	Hygienic Clamp Union, Ferrules per Table DT-7.1-1 or Table DT-7.1-2	222
MC-2.2.2-3	Hygienic Union per DIN 11864	223
MC-2.2.2-4	Hygienic Clamp Union per DIN 11864	223
MC-2.2.2-5	Nonhygienic Connections	224
MC-2.3.1.2-1	Weir Valves	226
MC-2.3.1.2-2	Radial Valves	226
MC-2.3.1.2-3	Weirless Diaphragm Valve	227

MC-2.3.1.2-4	Linear Control Valves	227
MC-2.3.1.2-5	Regulator Valve	228
MC-2.3.1.3-1	Ball Valves	228
MC-2.3.1.4-1	Rising Stem Single, Double-Seat Mix-Proof, and Needle Valves	229
MC-2.3.1.5-1	Butterfly Valve	229
MC-2.3.1.7-1	Back Pressure Control Valve	229
MC-2.3.1.8-1	Pinch Valve	230
MC-2.3.1.9-1	Check Valves	231
MC-2.3.1.10-1	Plug Valve	232
MC-2.3.2.2-1	Single Mechanical Seal	233
MC-2.3.2.2-2	Single Seal for Top-Entry Agitator	233
MC-2.3.2.3-1	Dual Mechanical Seal–Pressurized for Pumps	233
MC-2.3.2.3-2	Dual Mechanical Seal–Pressurized for Top-Entry Agitator	233
MC-2.3.2.3-3	Dual Mechanical Seal–Unpressurized for Pumps	234
MC-2.3.2.4-1	Plan 01	235
MC-2.3.2.4-2	Plan 02	235
MC-2.3.2.4-3	Plan 03	236
MC-2.3.2.4-4	Plan 11	236
MC-2.3.2.4-5	Plan 32	236
MC-2.3.2.4-6	Plan 52 for Pump	236
MC-2.3.2.4-7	Plan 52 for Top-Entry Agitator	237
MC-2.3.2.4-8	Plan 53 for Pump	237
MC-2.3.2.4-9	Plan 53 for Top-Entry Agitator	237
MC-2.3.2.4-10	Plan 54 for Pump	237
MC-2.3.2.4-11	Plan 54 for Top-Entry Agitator	238
MC-2.3.2.4-12	Plan 55 for Pump	238
MC-2.3.2.4-13	Plan 55 With Buffer Fluid From Pump Discharge	238
MC-2.3.2.4-14	Plan 55 for Top-Entry Agitator	238
MC-2.3.2.4-15	Plan 74 for Pump	239
MC-2.3.2.4-16	Plan 74 for Top-Entry Agitator	239
MC-3.3.2.2-1	Examples of Static O-Ring Grooves	241
MC-3.3.2.3-1	Seals for Rising Stem Valves	243
MC-4.2-1	Typical Hygienic Clamp Union: Allowable Gasket Intrusion	246
MJ-3.1-1	Vent Hole Examples	251
MJ-3.2-1	Unacceptable Pressure Vessel and Tank Head-to-Shell Joint Configurations	252
MJ-3.2-2	Acceptable Pressure Vessel and Tank Head-to-Shell Joint Configurations	253
MJ-8.4-1	Acceptable and Unacceptable Weld Profiles for Groove Welds on Metallic Tube-to-Tube Butt Joints	264
MJ-8.4-2	Discoloration Acceptance Criteria for Welds and Heat-Affected Zones on Electropolished UNS S31603 Tubing	265
MJ-8.4-3	Discoloration Acceptance Criteria for Welds and Heat-Affected Zones on Mechanically Polished UNS S31603 Tubing	266
MJ-8.4-4	Acceptable and Unacceptable Metallic Weld Bead Width and Meander on Non–Process Contact Surfaces of Groove Welds on Tube-to-Tube Butt Joints	267
MJ-8.5-1	Acceptable Weld Profiles for Metallic Tube-Attachment Fillet Welds	270
MJ-9.7.1-1	Acceptable and Unacceptable Weld Profiles for Polymeric Beadless Welds	273

SC-5.2-1	Typical Pinch Clamps	285
SC-5.3-1	Typical Pinch Valves	286
SC-5.4-1	Typical Diaphragm Valve	287
K-1.3.2.1-1	Weir-Style Diaphragm	333
K-1.3.2.1-2	Weir-Style Body	336
K-1.3.2.1-3	Radial-Style Body	336
K-1.3.2.1-4	Manual Bonnet	337
K-1.3.2.1-5	Pneumatic	337
P-4-1	Flowchart of Bioprocessing Equipment/Component Evaluation Related to Extractables and Leachables Characterization	352
AA-3.2.1-1	Polymeric Static and Dynamic Seal Selection for Use in Compdial Water Systems . .	374
AA-3.2.3-1	Mechanical Seal Face Material Selection for Compdial Water Pumps	376
DD-2.1.1-1	Conductivity Scale	382
EE-3-1	Direct-Mount Agitator	384
EE-3-2	Pedestal-Mount Agitator	385
EE-3.1-1	Registered Fit to Ensure Concentricity: Seal Housing-to-Drive Pilot	386
EE-3.2-1	Dual Mechanical Seal Assembly	387
EE-3.2-2	Seal Assembly to Flange O-Ring Detail	388
EE-3.3-1	Vessel Flange With Piloted Bore	390
EE-3.3-2	Vessel Flange Tolerance Parameters	391
GG-1.2-1	Typical Polymeric Single-Use Hose Barb Featuring Mono-Barb Design	399
 Tables		
GR-4.2-1	Quality Inspector's Delegate Capabilities	3
CR-1-1	Types of ASME BPE Certificates	21
MM-2.1-1	Wrought Stainless Steels: Nominal Compositions (wt. %)	25
MM-2.1-2	Wrought Nickel Alloys: Nominal Compositions (wt. %)	26
MM-2.1-3	Stainless Steel and Nickel Alloy Cast Designations	27
MM-2.1-4	Wrought Copper: Nominal Compositions (wt. %) (Cleaned for Oxygen Service)	28
MM-5.2.1.1-1	Predicted Ferrite Number (FN) Ranges for Various Austenitic Stainless Steel Product Forms and Welds	31
MM-5.2.5-1	Materials for OEM Equipment	32
MM-5.3-1	Filler Metals for Austenitic Stainless Steels	33
MM-5.3-2	Filler Metals for Superaustenitic Stainless Steels	35
MM-5.3-3	Filler Metals for Duplex Stainless Steels	36
MM-5.3-4	Filler Metals for Nickel Alloys	37
MM-5.3-5	Consumable Inserts for Superaustenitic and Duplex Stainless Steels	38
MM-5.3.4-1	Brazing Filler Metals for Copper	39
MM-5.4-1	Solution Anneal Heat Treatment Requirements for Superaustenitic and Duplex Stainless Steels	40
PM-2.2.1-1	Content Required on the Certificate of Conformance	44
PM-2.2.3.2-1	Change Levels and Minimum Change Notification Requirements	45
SD-2.4.3.1-1	Slope Designations for Drainable Lines	53
SD-3.1.2.2-1	<i>L/d</i> Dimensions for Flow-Through Tee: Full-Size Standard Straight Tee With Blind Cap	56
SD-3.1.2.2-2	<i>L/d</i> Dimensions for Flow-Through Tee: Short-Outlet Reducing Tee With Blind Cap	57
SD-3.4.3-1	Annular Spacing Recommendations for Hygienic Dip Tubes	71

SD-6.3.5.2.1-1	Flow Rates to Achieve 5 ft/sec (1.5 m/s)	140
DT-2-1	Metallic Fittings: Rated Internal Working Pressure	158
DT-3-1	Final Tolerances for Mechanically Polished Fittings and Process Components, Excluding Tube	159
DT-3-2	Final Tolerances for Electropolished Fittings and Process Components, Excluding Tube	161
DT-4-1	Nominal O.D. Tubing Sizes	161
DT-4.1-1	Tangent Lengths	162
DT-4.1.1-1	Automatic Tube Weld: 90-deg Elbow	162
DT-4.1.1-2	Automatic Tube Weld: Hygienic Clamp Joint, 90-deg Elbow	163
DT-4.1.1-3	Hygienic Clamp Joint: 90-deg Elbow	163
DT-4.1.1-4	Automatic Tube Weld: 45-deg Elbow	164
DT-4.1.1-5	Automatic Tube Weld: Hygienic Clamp Joint, 45-deg Elbow	164
DT-4.1.1-6	Hygienic Clamp Joint: 45-deg Elbow	165
DT-4.1.1-7	Automatic Tube Weld: 180-deg Return Bend	165
DT-4.1.1-8	Hygienic Clamp Joint: 180-deg Return Bend	166
DT-4.1.1-9	Automatic Tube Weld: 88-deg Elbow	166
DT-4.1.1-10	Automatic Tube Weld: 92-deg Elbow	167
DT-4.1.2-1	Automatic Tube Weld: Straight Tee and Cross	167
DT-4.1.2-2	Automatic Tube Weld: Short-Outlet Hygienic Clamp Joint Tee	168
DT-4.1.2-3	Hygienic Mechanical Joint: Short-Outlet Run Tee	168
DT-4.1.2-4	Hygienic Clamp Joint: Straight Tee and Cross	169
DT-4.1.2-5	Hygienic Clamp Joint: Short-Outlet Tee	169
DT-4.1.2-6	Automatic Tube Weld: Reducing Tee	170
DT-4.1.2-7	Automatic Tube Weld: Short-Outlet Hygienic Clamp, Joint Reducing Tee	171
DT-4.1.2-8	Hygienic Clamp Joint: Reducing Tee	172
DT-4.1.2-9	Hygienic Clamp Joint: Short-Outlet Reducing Tee	173
DT-4.1.2-10	Automatic Tube Weld: Instrument Tee	174
DT-4.1.2-11	Hygienic Clamp Joint: Instrument Tee	174
DT-4.1.2-12	Automatic Tube Weld: Standard Outlet Hygienic Clamp Joint Tee	174
DT-4.1.2-13	Automatic Tube Weld: Standard Outlet Hygienic Clamp Joint Reducing Tee	175
DT-4.1.3-1	Automatic Tube Weld: Concentric and Eccentric Reducer	176
DT-4.1.3-2	Hygienic Clamp Joint: Tube Weld Concentric and Eccentric Reducer	177
DT-4.1.3-3	Hygienic Clamp Joint: Concentric and Eccentric Reducer	178
DT-4.1.4-1	Automatic Tube Weld: Ferrule	179
DT-4.1.5-1	Automatic Tube Weld: Cap	180
DT-4.1.5-2	Hygienic Clamp Joint: Solid End Cap	181
DT-4.4.1-1	Hygienic Clamp Joint: Two-Way, Weir-Style Diaphragm Valve	182
DT-4.5.1-1	Tapered Locking Tab Retainer: Recessed	183
DT-4.5.2-1	Tapered Locking Tab Retainer: External	184
DT-7.1-1	Metallic Hygienic Clamp Ferrule Standard Dimensions and Tolerances	185
DT-7.1-2	Polymeric Hygienic Clamp Ferrule Standard Dimensions and Tolerances	188
DT-7.2-1	Tubing End Square Cut Tolerances	191
DT-7.3-1	Transfer Panel and Jumper Tolerances	192
DT-9.3-1	Hygienic Clamp Ferrule: Design Criteria	193
DT-11.1.1-1	Minimum Required Marking Information	195

MJ-6.3-1	Metallic Tube/Pipe Diameter Limits for Orbital GTAW Performance Qualification	255
MJ-6.3-2	Metallic Weld Thickness Limits for Orbital GTAW Performance Qualification	255
MJ-8.2-1	Visual Examination Acceptance Criteria for Welds on Metallic Pressure Vessels and Tanks	258
MJ-8.3-1	Visual Examination Acceptance Criteria for Welds on Metallic Pipe	260
MJ-8.4-1	Visual Examination Acceptance Criteria for Groove Welds on Metallic Tube-to-Tube Butt Joints	262
MJ-8.5-1	Visual Examination Acceptance Criteria for Metallic Tube-Attachment Welds	268
MJ-9.7.1-1	Visual Examination Acceptance Criteria for Polymeric Pipe Beadless Welds	272
SF-2.2-1	Acceptance Criteria for Metallic Process Contact Surface Finishes	275
SF-2.2-2	Additional Acceptance Criteria for Electropolished Metallic Process Contact Surface Finishes	275
SF-2.4.1-1	R_a Readings for Metallic Process Contact Surfaces	276
SF-2.6-1	Acceptance Criteria for Metallic Passivated Process Contact Surface Finishes	277
SF-3.3-1	Acceptance Criteria for Polymeric Process Contact Surface Finishes	278
SF-3.4-1	R_a Readings for Polymeric Process Contact Surfaces	278
SU-12-1	Single-Use Design Aspects	282
II-1	Standard Units	292
D-2-1	Considerations That Affect the Amount of Rouge Formation During the Fabrication of a System	304
D-2-2	Considerations That Affect the Amount of Rouge Formation During the Operation of a System	305
D-3.1-1	Process Fluid Analyses for the Identification of Mobile Constituents of Rouge	306
D-3.2-1	Solid Surface Analyses for the Identification of Surface Layers Composition	307
D-4.1-1	Rouge Remediation Processes Summary	308
E-3.2-1	Minimum Surface Requirements for Process Qualification Samples	311
E-3.2-2	Passivation Processes	313
E-5-1	Test Matrix for Evaluation of Cleaned and Passivated Surfaces	315
F-1-1	Corrosion Tests	320
F-3-1	PRE Numbers for Stainless Steels per Table MM-2.1-1 and for Nickel Alloys per Table MM-2.1-2	322
H-4.3-1	Procedure Qualification Acceptance Criteria for Test Coupons	327
J-1.1-1	Vendor Documentation Requirements for New Instruments: Section 1, VDR Definitions	329
J-1.2-1	Vendor Documentation Requirements for New Instruments: Section 2, Instrument Types and Required Documents	330
L-3-1	Thermoset Polymer Test Properties	342
L-4-1	Interpretation of Thermoset Material Property Changes	343
O-1.1-1	Common Thermoplastic Polymers and Applications	348
O-1.2-1	Common Thermoset Polymers and Applications	348
O-1.3-1	Examples of Nonmetallics	349
DD-2.6-1	Technological Considerations	382
EE-3.3-1	Vessel Flange Bore per Shaft Diameter	389
EE-3.3-2	Vessel Flange Fabrication Tolerance Guidelines	392
FF-1-1	Leak and Integrity Test, Nondestructive Methods	394
FF-1-2	Leak and Integrity Test, Destructive Methods	396
GG-2-1	Typical Retention Devices by Tubing Type and Operating Pressure	400
HH-1	Physical Testing References Used to Characterize Single-Use Bags	402

HH-2	Functional Testing References Used to Characterize Single-Use Bags	403
JJ-1	Size Comparison of Common Thermoplastic Sizing Standards	405
 Forms		
MEL-1	Material Examination Log	298
MER-1	Material Examination Record	299
WEL-1	Weld and Examination/Inspection Log	300
EPPS-1	Suggested Format for Electropolishing Procedure Specification (EPPS)	325
EPQR-1	Suggested Format for Electropolishing Procedure Qualification Record (EPQR)	326
S-1	Application Data Sheet	357
 Index		
	406