

ASME BPE-2026
(Revision of ASME BPE-2024)

Bioprocessing Equipment

AN INTERNATIONAL STANDARD



ASME BPE-2026
(Revision of ASME BPE-2024)

Bioprocessing Equipment

AN INTERNATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

FOR ASME COMMITTEE USE ONLY

Date of Issuance: May 1, 2026

The next edition of this International Standard is scheduled for publication in 2028. This International Standard will become effective 6 months after the Date of Issuance.

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark



ASME Single Certification Mark

All rights reserved. “ASME” and the above ASME symbols are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2026 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
Printed in U.S.A.

CONTENTS

Foreword	xv
Statement of Policy on the Use of the ASME Single Certification Mark and Code Authorization in Advertising	xvii
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items	xvii
Committee Roster	xviii
Correspondence With the BPE Committee	xxiii
Summary of Changes	xxv
Chapter 1	Introduction, Scope, and General Requirements
Part GR	General Requirements
GR-1	Introduction
GR-2	Scope of the ASME BPE Standard
GR-3	Manufacturer's Quality Assurance Program
GR-4	Examination, Inspection, and Testing
GR-5	Documentation
GR-6	Product Identification and Packaging
GR-7	Process Compatibility
GR-8	Contamination Control
GR-9	U.S. Customary and SI Units
GR-10	References
GR-11	Terms and Definitions
GR-12	Nomenclature
Chapter 2	Certification
Part CR	Certification Requirements
CR-1	Purpose and Scope
CR-2	General
Chapter 3	Materials
Part MM	Metallic Materials
MM-1	Purpose and Scope
MM-2	Alloy Designations
MM-3	Uses of Specifications
MM-4	Referenced Specifications
MM-5	Base Metals and Filler Materials
MM-6	Mechanical Properties and Leak Testing
MM-7	Positive Material Identification
MM-8	Corrosion-Resistance Requirements
MM-9	Minimum Requirements for Alloys in Part MM
Part PM	Polymeric and Other Nonmetallic Materials
PM-1	Purpose and Scope
PM-2	Materials

PM-3	Properties and Performance	48
PM-4	Applications	50
Chapter 4	Design for Multiuse	52
Part SD	Systems Design for Multiuse	52
SD-1	Purpose and Scope	52
SD-2	General Guidelines	52
SD-3	Process Components and Equipment	56
SD-4	Process Utility Systems	104
SD-5	Process Systems	109
SD-6	Process Support Systems	135
SD-7	Design Conformance Testing	157
Chapter 5	Process Components for Multiuse	159
Part DT	Dimensions and Tolerances for Process Components	159
DT-1	Purpose and Scope	159
DT-2	Pressure Rating	159
DT-3	Wall Thickness	159
DT-4	Dimensions	159
DT-5	Materials	160
DT-6	Tests	160
DT-7	Tolerances	160
DT-8	Weld Ends	160
DT-9	Hygienic Clamp Unions	160
DT-10	Minimum Examination Requirements	161
DT-11	Marking	161
DT-12	Packaging	162
Part PI	Process Instrumentation for Multiuse	200
PI-1	Purpose and Scope	200
PI-2	Process Instrumentation General Requirements	200
PI-3	Instrument Receiving, Handling, and Storage	203
PI-4	Flowmeters	203
PI-5	Level Instruments	211
PI-6	Pressure Instruments	219
PI-7	Temperature Sensors and Associated Components	219
PI-8	Analytical Instruments	225
PI-9	Optical	232
Part MC	Components for Multiuse	237
MC-1	Purpose and Scope	237
MC-2	Sealing Component Types	237
MC-3	Sealing Components General Design Requirements (General Provisions)	256
MC-4	Seal Performance Requirements	262
MC-5	Hose Assemblies	264
Chapter 6	Fabrication, Assembly, and Erection for Multiuse	266
Part MJ	Materials Joining for Multiuse	266
MJ-1	Purpose and Scope	266
MJ-2	Materials	266

MJ-3	Joint Design and Preparation	267
MJ-4	Joining Processes and Procedures	271
MJ-5	Procedure Qualifications	271
MJ-6	Performance Qualifications	271
MJ-7	Examination, Inspection, and Testing	272
MJ-8	Acceptance Criteria	274
MJ-9	Joining of Polymeric Materials	288
MJ-10	Documentation Requirements	290
MJ-11	Passivation	290
Part SF	Process Contact Surface Finishes for Multiuse	292
SF-1	Purpose and Scope	292
SF-2	Metallic Applications	292
SF-3	Polymeric Applications	295
Chapter 7	Design for Single-Use	298
Part SU	Systems Design for Single-Use	298
SU-1	General	298
SU-2	General Guidelines	298
SU-3	Integrity	298
SU-4	Biocompatibility	299
SU-5	Extractables and Leachables	299
SU-6	Identification	299
SU-7	Certificate of Conformance	299
SU-8	Inspection and Packaging	299
SU-9	Sterilization and Bioburden Reduction	300
SU-10	Shelf Life, Storage, and Expiration Date	300
SU-11	Particulates	300
SU-12	Design Conformance	301
Chapter 8	Process Components for Single-Use	302
Part SC	Components for Single-Use	302
SC-1	Steam-Through and Steam-To Connectors	302
SC-2	Aseptic Connectors	302
SC-3	Flexible Bioprocess Containers	302
SC-4	Polymeric Hygienic Unions	303
SC-5	Valves	303
Part SI	Single-Use Process Instrumentation	308
SI-1	Purpose and Scope	308
SI-2	General Requirements	308
SI-3	Single-Use Process Instrument Receiving, Handling, and Storage	309
Chapter 9	Fabrication, Assembly, and Erection for Single-Use	310
Part SJ	Joining Methods for Single-Use	310
SJ-1	General	310
SJ-2	Mechanical Hose Barb Connections	310
SJ-3	Thermal Welding of Thermoplastic Elastomer Tubing	310

Mandatory Appendices

II	Standard Units	312
IV	Nomenclature	313

Nonmandatory Appendices

A	Slag and Oxide Island Formation in Welds	316
B	Material and Weld Examination/Inspection Documentation	317
C	Slope Measurement and Joint Misalignment	322
D	Rouge and Stainless Steel	323
E	Passivation Procedure Qualification	331
F	Corrosion Testing	340
G	Ferrite	344
H	Electropolishing Procedure Qualification	345
J	Vendor Documentation Requirements for New Instruments	349
K	Standard Process Test Conditions (SPTC) for Seal Performance Evaluation	352
L	Standard Test Methods for Polymers	368
M	Spray Device Coverage Testing	371
N	Explanation of Weld Bead and Heat-Affected Zone Discoloration Acceptance Criteria on UNS S31603	373
O	Guidance When Choosing Polymeric and Nonmetallic Materials	374
P	General Background/Useful Information for Extractables and Leachables	377
Q	Temperature Sensors and Associated Components	380
R	Instrument Receiving, Handling, and Storage	382
S	Application Data Sheet	383
T	Guidance on Polymer Applications: Chromatography Columns and Filtration	385
U	Guidance for the Use of U.S. Customary and SI Units	388
W	Positive Material Identification	390
Y	Procurement Sources	393
Z	Quality Management System	394
AA	Guide to the Selection of Valve and Seal Material for Common Applications	399
CC	Examination, Inspection, and Testing Cross-References	406
DD	Conductivity Sensor Selection Guide	409
EE	Vessel Flange, Agitator, and Mechanical Seal Design for Bottom-Mount Agitators	411
FF	Leak and Integrity Test Methods for Single-Use Systems	421
GG	Single-Use Mechanical Hose Barb Design Recommendations	427
HH	Physical and Functional Testing References Used to Characterize Single-Use Bags	429
JJ	Size Comparison of Common Thermoplastic Sizing Standards	432
KK	Single-Use Technical Communication Guide	434
LL	Data on Impact of Weld Discoloration	440

Figures

SD-3.1.1-1	Flat Gasket Applications	57
SD-3.1.2.2-1	Accepted Point-of-Use Designs	61
SD-3.1.2.3-1	Double Block-and-Bleed Valve Assembly	62
SD-3.2.1-1	Flexible Hygienic Hose Design	64

SD-3.3.2.2-1	Pump Impeller Configurations	65
SD-3.3.2.2-2	Acceptable Impeller Attachments	66
SD-3.3.2.2-3	Casing Drain Configurations	66
SD-3.3.2.2-4	Casing Drain L/d Ratios	67
SD-3.3.2.4-1	Rotary Lobe Pump Rotor Attachment	68
SD-3.4.2-1	Nozzle Design	69
SD-3.4.2-2	Side and Bottom Connections	70
SD-3.4.2-3	Sidewall Nozzles	71
SD-3.4.2-4	Vessel Design Tangential Nozzles	72
SD-3.4.2-5	Typical Nozzle Detail	72
SD-3.4.3-1	Accepted Nozzle Penetrations	74
SD-3.4.3-2	Internal Components	75
SD-3.4.6-1	Sight Glass Design (Accepted)	76
SD-3.5.1-1	Agitator Mounting Flanges	78
SD-3.5.2-1	Shaft Coupling Construction	79
SD-3.5.2-2	Shaft Coupling Seal Arrangements	80
SD-3.5.2-3	Fastener Seal Arrangements: Alternative Bolting Designs	81
SD-3.5.5-1	Shaft Steady Bearing	83
SD-3.5.5-2	Magnetically Coupled Mixer (Typical Bottom-Mount)	84
SD-3.6.2-1	Double Tubesheet Heat Exchanger Bonnet Design	85
SD-3.7.1-1	Transfer Panel Looped Headers	87
SD-3.7.2-1	Transfer Panel Tolerances	88
SD-3.7.4-1	Transfer Panel Jumpers	90
SD-3.9.1-1	Dynamic Spray Device: Single Axis	92
SD-3.9.1-2	Two-Axis Dynamic Spray Device	94
SD-3.9.2.1-1	Static Spray Device	95
SD-3.9.2.1-2	Flow Rate Guideline for Vertical Cylindrical Vessels	95
SD-3.9.2.1-3	Flow Rate Guideline for Horizontal Cylindrical Vessels	96
SD-3.9.2.3-1	Impact Pattern Buildup	97
SD-3.12-1	Steam Traps for Clean Steam Systems	98
SD-3.17.1-1	Example Strainer Types	99
SD-3.20.3-1	Mix-Proof Valve Array	103
SD-4.1.2.1-1	Point-of-Use Piping	105
SD-4.1.2.2-1	Physical Break in Point-of-Use Piping	106
SD-4.2.2-1	Typical Clean Steam System Isometric	107
SD-4.2.2-2	Clean Steam Point-of-Use Design	108
SD-5.1.1-1	Typical Fermentor Process Zone Diagram	110
SD-5.1.1-2	Typical Bioreactor Process Zone Diagram	111
SD-5.1.4.1.3-1	Gas Sparging Assembly — Lance	112
SD-5.1.4.1.3-2	Gas Sparging Assembly — Sintered	113
SD-5.1.4.1.3-3	Gas Sparging Assembly — Ring	114
SD-5.1.4.1.3-4	Gas Sparging Assembly — Single Orifice	115
SD-5.1.4.2.1-1	Exhaust Gas Condenser	117
SD-5.1.4.2.1-2	Exhaust Gas Heater	117
SD-5.1.4.2.1-3	Electrically Heat Traced Filter Housing	118

SD-5.2.1-1	Cell Disruptor Process Flow Schematic Diagram	121
SD-5.4.5.1-1	Vessel Vent Fillers	125
SD-5.6.4-1	Typical Lyophilizer Component Assembly	129
SD-5.6.5-1	Lyophilizer Sterile Boundary	132
SD-6.3.4.1.1-1	Conical Vessel With Reduced Bottom Outlet, or Tulip Vessel	140
SD-6.3.4.2-1	CIP Looped Header (Supply or Return)	143
SD-6.3.4.2-2	Zero-Static Chain	143
SD-6.3.4.2-3	Swing Elbow Arrangement	143
SD-6.4.1.1-1	Example of HTST Process Flow Schematic Diagram	145
SD-6.4.1.1-2	Example of Direct Steam Injection UHT Process Flow Schematic Diagram	146
SD-6.4.4.5-1	Example of Additional Retention Tube Length Required to Account for Axial Mixing . .	149
SD-6.5.4.2-1	Immersion Tank Side Nozzle Design	152
SD-7.4-1	Vertical Vessel Filling for Drainability Test	158
SD-7.4-2	Horizontal Vessel Filling for Drainability Test	158
DT-9.4-1	Clamp Conditions at Installation	198
PI-2.2.1-1	In-Line and At-Line Instrument Installation Examples	201
PI-2.2.2-1	Accepted Insertion Device Installation Examples	202
PI-4.1.3.2-1	Manifold or Flow Splitter for Dual-Tube Construction Flowmeters and Potential for Product Holdup	204
PI-4.1.3.3-1	Concentrically Reducing Process Connection	204
PI-4.1.4.3-1	Vertical Installation	206
PI-4.1.4.4-1	Minimum Angle of Inclination, α	206
PI-4.2.2-1	Typical Turbine Flowmeters	207
PI-4.3.2-1	Types of Flow-Tube Magnetic Flowmeters	209
PI-4.3.3.1-1	Straight Pipe Runs Necessary for Proper Flowmeter Operation	209
PI-4.4.2-1	Vortex Flowmeter Components	210
PI-5.1.2-1	Bulb, Horn, Isolated Horn, and Rod-Style Antenna	212
PI-5.1.3.1-1	Dead Band, Measuring Range, and Mounting Location	212
PI-5.2.2-1	Straight and Bent Probe Designs	213
PI-5.2.3.1-1	Mounting Location Straight Probe Geometry	214
PI-5.2.3.1-2	Mounting Location Bent Probe Geometry	215
PI-5.3.3.2-1	Example Orientation of the Sensors	216
PI-5.4.2-1	Capacitance Sensor Components	217
PI-5.4.3-1	Typical Installations	218
PI-6.1.2-1	Accepted Orientation and Flow Directions	220
PI-7.3-1	Typical Installation Styles	221
PI-7.3.2-1	Accepted Elbow Orientations and Flow Directions	222
PI-7.3.2-2	Accepted Nonintrusive Orientations and Flow Directions	222
PI-7.3.4-1	Sensor Immersion Lengths for Tee Installations	223
PI-7.3.4-2	Sensor Immersion Lengths for Elbow Installations	224
PI-8.1.2-1	Conductivity Sensor Components	227
PI-8.1.3.2-1	Acceptable Orientations for Conductivity Sensors	228
PI-8.1.3.4-1	Installation Clearance Requirements	228
PI-8.2.2-1	pH Sensor Components	229
PI-8.2.3.3-1	Accepted Mounting Orientations	230

PI-8.3.2-1	DO Sensor Components	231
PI-8.3.3.2-1	DO Acceptable Electrochemical Sensor Orientation	233
PI-8.4.3-1	Accepted Installation for a TOC Instrument	234
PI-9.1.3.2-1	Vessel Light Glass Design and Mounting	235
PI-9.1.3.4-1	In-Line Insertion Length	236
PI-9.1.3.4-2	Insertion Probe Length	236
MC-2.2.2-1	Hygienic Union, Ferrules per Table DT-7.1-1 or Table DT-7.1-2	238
MC-2.2.2-2	Hygienic Clamp Union, Ferrules per Table DT-7.1-1 or Table DT-7.1-2	238
MC-2.2.2-3	Hygienic Union per DIN 11864	239
MC-2.2.2-4	Hygienic Clamp Union per DIN 11864	239
MC-2.2.2-5	Nonhygienic Connections	240
MC-2.3.1.2-1	Weir Valves	242
MC-2.3.1.2-2	Radial Valves	242
MC-2.3.1.2-3	Weirless Diaphragm Valve	243
MC-2.3.1.2-4	Linear Control Valves	243
MC-2.3.1.2-5	Regulator Valve	244
MC-2.3.1.3-1	Ball Valves	244
MC-2.3.1.4-1	Rising Stem Single, Double-Seat Mix-Proof, and Needle Valves	245
MC-2.3.1.5-1	Butterfly Valve	245
MC-2.3.1.5-2	Split Butterfly Valve	246
MC-2.3.1.7-1	Back Pressure Regulating Valve	247
MC-2.3.1.8-1	Pinch Valve	247
MC-2.3.1.9-1	Check Valves	248
MC-2.3.1.10-1	Plug Valve	249
MC-2.3.2.2-1	Single Mechanical Seal	250
MC-2.3.2.2-2	Single Seal for Top-Entry Agitator	250
MC-2.3.2.3-1	Dual Mechanical Seal—Pressurized for Pumps	250
MC-2.3.2.3-2	Dual Mechanical Seal—Pressurized for Top-Entry Agitator	250
MC-2.3.2.3-3	Dual Mechanical Seal—Unpressurized for Pumps	251
MC-2.3.2.4-1	Plan 01	252
MC-2.3.2.4-2	Plan 02	252
MC-2.3.2.4-3	Plan 03	253
MC-2.3.2.4-4	Plan 11	253
MC-2.3.2.4-5	Plan 32	253
MC-2.3.2.4-6	Plan 52 for Pump	253
MC-2.3.2.4-7	Plan 52 for Top-Entry Agitator	254
MC-2.3.2.4-8	Plan 53 for Pump	254
MC-2.3.2.4-9	Plan 53 for Top-Entry Agitator	254
MC-2.3.2.4-10	Plan 54 for Pump	254
MC-2.3.2.4-11	Plan 54 for Top-Entry Agitator	255
MC-2.3.2.4-12	Plan 55 for Pump	255
MC-2.3.2.4-13	Plan 55 With Buffer Fluid From Pump Discharge	255
MC-2.3.2.4-14	Plan 55 for Top-Entry Agitator	255
MC-2.3.2.4-15	Plan 74 for Pump	256
MC-2.3.2.4-16	Plan 74 for Top-Entry Agitator	256

MC-3.3.2.2-1	Examples of Static O-Ring Grooves	258
MC-3.3.2.3-1	Seals for Rising Stem Valves	259
MC-4.2-1	Typical Hygienic Clamp Union: Allowable Gasket Intrusion	263
MJ-3.1-1	Vent Hole Examples	268
MJ-3.2-1	Unacceptable Pressure Vessel and Tank Head-to-Shell Joint Configurations	269
MJ-3.2-2	Acceptable Pressure Vessel and Tank Head-to-Shell Joint Configurations	270
MJ-8.4-1	Acceptable and Unacceptable Weld Profiles for Groove Welds on Metallic Tube-to-Tube Butt Joints	281
MJ-8.4-2	Discoloration Acceptance Criteria for Welds and Heat-Affected Zones on Electropolished UNS S31603 Tubing	283
MJ-8.4-3	Discoloration Acceptance Criteria for Welds and Heat-Affected Zones on Mechanically Polished UNS S31603 Tubing	284
MJ-8.4-4	Acceptable and Unacceptable Metallic Weld Bead Width and Meander on Non-Process Contact Surfaces of Groove Welds on Tube-to-Tube Butt Joints	285
MJ-8.5-1	Acceptable Weld Profiles for Metallic Tube-Attachment Fillet Welds	288
MJ-9.7.1-1	Acceptable and Unacceptable Weld Profiles for Polymeric Beadless Welds	291
SC-5.2-1	Typical Pinch Clamps	304
SC-5.3-1	Typical Pinch Valves	305
SC-5.4-1	Typical Diaphragm Valve	306
K-1.3.3.1-1	Weir-Style Diaphragm	355
K-1.3.3.1-2	Weir-Style Body	358
K-1.3.3.1-3	Radial-Style Body	358
K-1.3.3.1-4	Manual Bonnet	359
K-1.3.3.1-5	Pneumatic	359
P-4-1	Flowchart of Bioprocessing Equipment/Component Evaluation Related to Extractables and Leachables Characterization	379
AA-1.2.3-1	Valves for Multiuse Systems Selection Guide	402
AA-3.2.1-1	Polymeric Static and Dynamic Seal Selection for Use in Compdial Water Systems . .	403
AA-3.2.3-1	Mechanical Seal Face Material Selection for Compdial Water Pumps	405
DD-2.1.1-1	Conductivity Scale	410
EE-3-1	Direct-Mount Agitator	412
EE-3-2	Pedestal-Mount Agitator	413
EE-3.1-1	Registered Fit to Ensure Concentricity: Seal Housing-to-Drive Pilot	414
EE-3.2-1	Dual Mechanical Seal Assembly	415
EE-3.2-2	Seal Assembly to Flange O-Ring Detail	416
EE-3.3-1	Vessel Flange With Piloted Bore	418
EE-3.3-2	Vessel Flange Tolerance Parameters	419
GG-1.2-1	Typical Polymeric Single-Use Hose Barb Featuring Mono-Barb Design	427
LL-3.2-1	Inside Surface of SF4 Sample	443
LL-3.2-2	Inside Surface of SF1 Sample	443
LL-3.2-3	Masked Inside Surface of EP and MP Samples	444
LL-3.3-1	Scan of Lab A — EP and MP	445
LL-3.3-2	Scan of Lab B — EP and MP	446
LL-3.3-3	Lab A Sample Post Testing — EP and MP	447
LL-3.3-4	Lab B Sample Post Testing — EP and MP	448

Tables

GR-4.2-1	Quality Inspector's Delegate Capabilities	3
CR-1-1	Types of ASME BPE Certificates	22
MM-2.1-1	Wrought Stainless Steels: Nominal Compositions (wt. %)	26
MM-2.1-2	Wrought Nickel Alloys: Nominal Compositions (wt. %)	27
MM-2.1-3	Stainless Steel and Nickel Alloy Cast Designations	28
MM-2.1-4	Wrought Copper: Nominal Compositions (wt. %) (Cleaned for Oxygen Service)	29
MM-5.2.1.1-1	Predicted Ferrite Number (FN) Ranges for Various Austenitic Stainless Steel Product Forms and Welds	32
MM-5.2.5-1	Materials for OEM Equipment	33
MM-5.3-1	Filler Metals for Austenitic Stainless Steels	34
MM-5.3-2	Filler Metals for Superaustenitic Stainless Steels	36
MM-5.3-3	Filler Metals for Duplex Stainless Steels	37
MM-5.3-4	Filler Metals for Nickel Alloys	38
MM-5.3-5	Consumable Inserts for Superaustenitic and Duplex Stainless Steels	39
MM-5.3.4-1	Brazing Filler Metals for Copper	41
MM-5.4-1	Solution Anneal Heat Treatment Requirements for Superaustenitic and Duplex Stainless Steels	42
PM-2.2.1-1	Content Required on the Certificate of Conformance	46
PM-2.2.3.2-1	Change Levels and Minimum Change Notification Requirements	47
SD-2.4.3.1-1	Slope Designations for Drainable Lines	55
SD-3.1.2.2-1	<i>L/d</i> Dimensions for Flow-Through Tee: Full-Size Standard Straight Tee With Blind Cap	58
SD-3.1.2.2-2	<i>L/d</i> Dimensions for Flow-Through Tee: Short-Outlet Reducing Tee With Blind Cap	59
SD-3.4.3-1	Annular Spacing Recommendations for Hygienic Dip Tubes	73
SD-6.3.5.2.1-1	Flow Rates to Achieve 5 ft/sec (1.5 m/s)	144
DT-2-1	Metallic Fittings: Rated Internal Working Pressure	162
DT-3-1	Final Tolerances for Mechanically Polished Fittings and Process Components, Excluding Tube	163
DT-3-2	Final Tolerances for Electropolished Fittings and Process Components, Excluding Tube	165
DT-4-1	Nominal O.D. Tubing Sizes	165
DT-4.1-1	Tangent Lengths	166
DT-4.1.1-1	Automatic Tube Weld: 90-deg Elbow	166
DT-4.1.1-2	Automatic Tube Weld: Hygienic Clamp Joint, 90-deg Elbow	167
DT-4.1.1-3	Hygienic Clamp Joint: 90-deg Elbow	167
DT-4.1.1-4	Automatic Tube Weld: 45-deg Elbow	168
DT-4.1.1-5	Automatic Tube Weld: Hygienic Clamp Joint, 45-deg Elbow	168
DT-4.1.1-6	Hygienic Clamp Joint: 45-deg Elbow	169
DT-4.1.1-7	Automatic Tube Weld: 180-deg Return Bend	169
DT-4.1.1-8	Hygienic Clamp Joint: 180-deg Return Bend	170
DT-4.1.1-9	Automatic Tube Weld: 88-deg Elbow	170
DT-4.1.1-10	Automatic Tube Weld: 92-deg Elbow	171
DT-4.1.2-1	Automatic Tube Weld: Straight Tee and Cross	171
DT-4.1.2-2	Automatic Tube Weld: Short-Outlet Hygienic Clamp Joint Tee	172
DT-4.1.2-3	Hygienic Mechanical Joint: Short-Outlet Run Tee	172
DT-4.1.2-4	Hygienic Clamp Joint: Straight Tee and Cross	173
DT-4.1.2-5	Hygienic Clamp Joint: Short-Outlet Tee	173

DT-4.1.2-6	Automatic Tube Weld: Reducing Tee	174
DT-4.1.2-7	Automatic Tube Weld: Short-Outlet Hygienic Clamp, Joint Reducing Tee	175
DT-4.1.2-8	Hygienic Clamp Joint: Reducing Tee	176
DT-4.1.2-9	Hygienic Clamp Joint: Short-Outlet Reducing Tee	177
DT-4.1.2-10	Automatic Tube Weld: Instrument Tee	178
DT-4.1.2-11	Hygienic Clamp Joint: Instrument Tee	178
DT-4.1.2-12	Automatic Tube Weld: Standard Outlet Hygienic Clamp Joint Tee	178
DT-4.1.2-13	Automatic Tube Weld: Standard Outlet Hygienic Clamp Joint Reducing Tee	179
DT-4.1.3-1	Automatic Tube Weld: Concentric and Eccentric Reducer	180
DT-4.1.3-2	Hygienic Clamp Joint: Tube Weld Concentric and Eccentric Reducer	181
DT-4.1.3-3	Hygienic Clamp Joint: Concentric and Eccentric Reducer	182
DT-4.1.4-1	Automatic Tube Weld: Ferrule	183
DT-4.1.5-1	Automatic Tube Weld: Cap	184
DT-4.1.5-2	Hygienic Clamp Joint: Solid End Cap	185
DT-4.4.1-1	Hygienic Clamp Joint: Two-Way, Weir-Style Diaphragm Valve	186
DT-4.5.1-1	Tapered Locking Tab Retainer: Recessed	187
DT-4.5.2-1	Tapered Locking Tab Retainer: External	188
DT-7.1-1	Metallic Hygienic Clamp Ferrule Standard Dimensions and Tolerances	189
DT-7.1-2	Polymeric Hygienic Clamp Ferrule Standard Dimensions and Tolerances	192
DT-7.2-1	Tubing End Square Cut Tolerances	195
DT-7.3-1	Transfer Panel and Jumper Tolerances	196
DT-9.3-1	Hygienic Clamp Ferrule: Design Criteria	197
DT-11.1.1-1	Minimum Required Marking Information	199
MJ-6.3-1	Metallic Tube/Pipe Diameter Limits for Orbital GTAW Performance Qualification	272
MJ-6.3-2	Metallic Weld Thickness Limits for Orbital GTAW Performance Qualification	272
MJ-8.2-1	Visual Examination Acceptance Criteria for Welds on Metallic Pressure Vessels and Tanks	275
MJ-8.3-1	Visual Examination Acceptance Criteria for Welds on Metallic Pipe	277
MJ-8.4-1	Visual Examination Acceptance Criteria for Groove Welds on Metallic Tube-to-Tube Butt Joints	279
MJ-8.5-1	Visual Examination Acceptance Criteria for Metallic Tube-Attachment Welds	286
MJ-9.7.1-1	Visual Examination Acceptance Criteria for Polymeric Pipe Beadless Welds	290
SF-2.2-1	Acceptance Criteria for Metallic Process Contact Surface Finishes	293
SF-2.2-2	Additional Acceptance Criteria for Electropolished Metallic Process Contact Surface Finishes	293
SF-2.4.1-1	R_a Readings for Metallic Process Contact Surfaces	294
SF-2.5-1	Acceptance Criteria for Metallic Passivated Process Contact Surface Finishes	295
SF-3.3-1	Acceptance Criteria for Polymeric Process Contact Surface Finishes	297
SF-3.4-1	R_a Readings for Polymeric Process Contact Surfaces	297
SU-12-1	Single-Use Design Aspects	301
SI-2.4-1	Design Criteria	308
SJ-3.4-1	Visual Acceptance Criteria for Single-Use Tube Welds	311
II-1	Standard Units	312
D-2-1	Considerations That Affect the Amount of Rouge Formation During the Fabrication of a System	325
D-2-2	Considerations That Affect the Amount of Rouge Formation During the Operation of a System	326

D-3.1-1	Process Fluid Analyses for the Identification of Mobile Constituents of Rouge	327
D-3.2-1	Solid Surface Analyses for the Identification of Surface Layers Composition	328
D-4.1-1	Rouge Remediation Processes Summary	329
E-3.2-1	Minimum Surface Requirements for Process Qualification Samples	332
E-3.2-2	Passivation Processes	334
E-5-1	Test Matrix for Evaluation of Cleaned and Passivated Surfaces	336
F-1-1	Corrosion Tests	341
F-3-1	PRE Numbers for Stainless Steels per Table MM-2.1-1 and for Nickel Alloys per Table MM-2.1-2	343
H-4.3-1	Procedure Qualification Acceptance Criteria for Test Coupons	348
J-1.1-1	Vendor Documentation Requirements for New Instruments: Section 1, VDR Definitions	350
J-1.2-1	Vendor Documentation Requirements for New Instruments: Section 2, Instrument Types and Required Documents	351
K-1.3.3.2-1	Acceptance Criteria for Evaluating Diaphragm Condition Post-Exposure Testing	360
K-1.3.3.2-2	Observational Assessment Criteria for Evaluating Diaphragm Condition Post-Exposure Testing	361
K-1.3.3.2-3	Guidance on Terminology Used in Table K-1.3.3.2-1	362
L-3-1	Thermoset Polymer Test Properties	369
L-4-1	Interpretation of Thermoset Material Property Changes	370
O-1.1-1	Common Thermoplastic Polymers and Applications	375
O-1.2-1	Common Thermoset Polymers and Applications	375
O-1.3-1	Examples of Nonmetallics	376
DD-2.6-1	Technological Considerations	410
EE-3.3-1	Vessel Flange Bore per Shaft Diameter	417
EE-3.3-2	Vessel Flange Fabrication Tolerance Guidelines	420
FF-1-1	Leak and Integrity Test, Nondestructive Methods	422
FF-1-2	Leak and Integrity Test, Destructive Methods	424
GG-2-1	Typical Retention Devices by Tubing Type and Operating Pressure	428
HH-1	Physical Testing References Used to Characterize Single-Use Bags	430
HH-2	Functional Testing References Used to Characterize Single-Use Bags	431
JJ-1	Size Comparison of Common Thermoplastic Sizing Standards	433
LL-3.2-1	Test Parameters	444
LL-3.3-1	CPP Results	444
Forms		
MEL-1	Material Examination Log	318
MER-1	Material Examination Record	319
WEL-1	Weld and Examination Inspection Log	320
WOPQ-1	Suggested Format for Hygienic Pipe and Tube Welding Operator Performance Qualifications	321
EPPS-1	Suggested Format for Electropolishing Procedure Specification (EPPS)	346
EPQR-1	Suggested Format for Electropolishing Procedure Qualification Record (EPQR)	347
K-1	Post-Test Evaluation Summary Report	363
S-1	Application Data Sheet	384
KK-1	Single-Use Technical Communication Guide for Particulate Matter	435

KK-2	Single-Use Technical Communication Guide for Mechanical Hose Barb Connections Qualification	438
Index		451